CLEANING AND MAINTENANCE MANUAL

1620 x 3240 mm 63 ³/₄" x 127 ¹/₂"



CLEANING AND MAINTENANCE MANUAL

3	PRECAUTIONS	6
	Application	5
2	EXTRAORDINARY CLEANING	3
1	ORDINARY CLEANING	3

1 ORDINARY CLEANING

For the ordinary cleaning of Atlas Plan slabs, it is advisable to remove the dust with a dry and clean cloth. Afterwards, we recommend using the product FILABRIO - FLOOR CLENER. We suggest using the doses recommended by the manufacturer and a microfiber cloth.

In any case, to avoid extraordinary cleaning, it is advisable to immediately remove any stain before it dries.

2 EXTRAORDINARY CLEANING

In the case of dirt that is resistant to ordinary cleaning, it is recommended to use a detergent specific to the type of dirt.

Prompt action remains an important factor for the success of the cleaning operation.

It is suggested to perform a preliminary test on a small stained portion, verifying the effectiveness of the detergent before using it on the whole surface.

Never use concentrated hydrochloric acid and/or caustic soda or detergents that contain hydrofluoric acid and/or its derivatives.

Below is a table showing detergents suitable for various types of dirt:

2 EXTRAORDINARY CLEANING

TYPE OF DIRT	DETERGENT/SOLVENT		APPLICATION
		FILA	FILA
		FABER	FABER
	Degreasing detergent	PS87 PRO	Damp cloth
GREASE		Deep Degreser	White pad
COFFEE	Danier datament	PS87 PRO	Damp cloth
COFFEE	Degreasing detergent	Coloured Stain Remover	Direct application
NA/INIE	Degreasing detergent	PS87 PRO o SR95	Damp cloth
WINE		Coloured Stain Remover	Direct application
DEED.	Degreasing detergent	PS87 PRO	Damp cloth
BEER		Tile Cleaner	White pad
		PS87 PRO	Damp cloth
FRUIT JUICE	Degreasing detergent	Tile Cleaner	White pad
COCA COLA	Degreasing detergent	PS87 PRO	Damp cloth
COCA COLA		Tile Cleaner	White pad
	Degreasing detergent	PS87 PRO o SR95	Damp cloth
INK		Coloured Stain Remover	Direct application
	E Degreasing detergent	PS87 PRO	Damp cloth
VOMIT AND URINE		Tile Cleaner	White pad
		PS87 PRO	Damp cloth
ICE CREAM	Degreasing detergent	Deep Degreser	White pad
	Degreasing detergent	PS87 PRO	Damp cloth
FELT TIP PEN		Coloured Stain Remover	Direct application
BLOOD	Degreasing detergent	PS87 PRO	Damp cloth
		Coloured Stain Remover	Direct application
RUBBER	Degreasing detergent	PS87 PRO	Damp anti-scratch Scotch Brite
RUDDER		Solvent Stripper	White pad

TYPE OF DIRT	DETERGENT/SOLVENT		APPLICATION
		FILA	FILA
		FABER	FABER
		PS87 PRO	Melamine Sponge
SUCTION CUPS	Degreasing detergent	Epoxy Cleaner	Melamine Sponge
DUGT	Detergent for rust removal	NORUST	Damp anti-scratch Scotch Brite
RUST		Cement Remover	White pad
CILICONE	Detergent for silicone removal	ZEROSIL	Damp anti-scratch Scotch Brite
SILICONE		Epoxy Cleaner	White pad
WAXES	Solvent	SOLV o ZEROSIL	Damp anti-scratch Scotch Brite
AND RESINS		Wax Remover	White pad
ALUMINUM	Descaling detergent	DETERDEK PRO	Damp anti-scratch Scotch Brite
MARKS		Tile Cleaner	White pad
DENCH MARKS	Danielling datament	DETERDEK PRO	Damp anti-scratch Scotch Brite
PENCIL MARKS	Descaling detergent	Tile Cleaner	White pad
LIMESCALE	Descaling detergent	DETERDEK PRO	Damp anti-scratch Scotch Brite
LIMESCALE		Cement Remover	White pad

2.1 Application

DAMP CLOTH - WHITE PAD

Apply the detergent to the stain and let it act for the time indicated by the detergent's manufacturer. Rinse carefully and dry with a cloth.

DAMP ANTI-SCRATCH SCOTCH-BRITE

Apply the detergent to the stain and let it act for the time indicated by the detergent's manufacturer. Use a white, damp scratch-resistant Scotch-Brite sponge and scrub the area to be cleaned with a circular movement.

Rinse thoroughly with clean water and dry with a cloth.

3 PRECAUTIONS

Atlas Plan is not responsible in any way for the improper use of the material, which is why it recommends:

- Prevent collisions with the most exposed points like corners and edges, both with and without a miter.
- · Avoid using metal or abrasive pads.
- Do not use knives with a ceramic blade because the hardness of the two materials is very similar.
- · For dark colors and/or Polished Lux surfaces use wood or plastic cutting boards for cutting food.
- Precautionary protect the surface from the direct contact with hot objects (such as frying pans, pots, coffeepots, etc) by using trivets.

Note: To repair shallow surface scratches of both the Silk and Polished Lux finishes, contact Atlas Plan directly.

It is understood that Atlas Plan cannot be held responsible for events, damage or defects due to negligent cleaning and maintenance.



Via Canaletto 141 41042 Spezzano di Fiorano (MO) Italia Tel. +39.0536.867811 Fax +39.0536.867985 / 867980 Export / 867981 Italia www.atlasplan.com