

neolith

touch.feel.live



KITCHEN + BATHROOM

What is Neolith?
¿Qué es Neolith?

Neolith, a Carbon Neutral Company
Neolith, una compañía Carbon Neutral


Environmental Fact Sheet
Hoja de Datos Ambientales

Certifications and Awards
Certificados y Premios

Formats, applications and thicknesses
Formatos, aplicaciones y espesores

Finishes
Acabados

ABOUT NEOLITH P. 05



KITCHEN P. 26



BATHROOM P. 102



Models only available for projects
Modelos solo disponibles para proyectos

Bookmatch & Endmatch

Design variants in 6 mm
Variantes de diseño en 6 mm

General Summary
Resumen General

NEOLITH GALLERY P. 142





Neolíth
touch.feel.live

Everything we do, say and think at Neolith is centered on the end user.
We specialize in finding the essential balance that should always exist between
functionality and design, to create unique spaces that help us live better. Because

**the best thing about creating
something, is living it.**

En Neolith, todo lo que hacemos, decimos o pensamos está centrado en el
consumidor. Estamos especializados en alcanzar el equilibrio imprescindible que
siempre debe existir entre funcionalidad y diseño, para crear espacios únicos que
nos ayuden a vivir mejor. Porque

lo mejor de crear algo, es vivirlo.

What is Neolith?

Neolith is a revolutionary and innovative architectural surface with superior technical characteristics made of natural raw materials. It is synonymous to quality, versatility, durability and sustainability as well as class, elegance, style and subtleness.

As a result of innovation efforts to meet its main objectives intrinsically tied to sustainability, Neolith strives to promote new trends in interior design and architecture to satisfy the most demanding needs of both professionals and end consumers.


Neolith inspires unique, functional and sustainable solutions for indoor and outdoor spaces and creates extraordinary experiences through the most cutting-edge surfaces. It is the brand of choice for architects, designers and homeowners and the preferred partner for installers.


¿Qué es Neolith?

Neolith es una superficie arquitectónica revolucionaria e innovadora con características técnicas superiores, fabricada con materias primas naturales. Es sinónimo de calidad, versatilidad, durabilidad y sostenibilidad así como de clase, elegancia, estilo y sutileza.

Como resultado de un esfuerzo de innovación para cumplir sus principales objetivos, intrínsecamente ligados a la sostenibilidad, Neolith tiene como objetivo impulsar las nuevas tendencias del interiorismo y la arquitectura para satisfacer las necesidades más exigentes, tanto de los profesionales como del consumidor final.

Neolith inspira soluciones únicas, funcionales y sostenibles para espacios de interior y exterior y genera experiencias extraordinarias a través de las superficies más innovadoras. Es la marca elegida por arquitectos, diseñadores y propietarios y el socio preferido de los instaladores.





SUSTAINABLE
BEAUTY

THE CONCEPT OF SUSTAINABLE BEAUTY REFLECTS OUR WAY
OF BEING AND CREATING A BETTER FUTURE FOR ALL.

EL CONCEPTO DE SUSTAINABLE BEAUTY REFLEJA NUESTRA FORMA DE SER
Y DE CREAR UN FUTURO MEJOR PARA TODOS.

Neolith, towards net-zero emissions

A SOLID PATH TO MINIMIZING ENVIRONMENTAL IMPACT

Since its inception, Neolith's innovation efforts have been intrinsically linked to sustainability, with a firm commitment to achieving decarbonization of its products and achieving a circular economy. Neolith has a strong sustainability policy and has focused on two main axes within its activities: raw materials and energy, in order to minimize environmental impact and create even more sustainable products.

To achieve this, Neolith has taken relevant steps and has had its science-based targets approved by the Science Based Targets initiative (SBTi), which provides target validation services in line with SBTi standards and supports organizations towards their decarbonization journey.

This means Neolith has committed to reach net-zero greenhouse gas emissions across the value chain by 2050. On the other hand, the firm has also committed to reduce absolute scope 1 and 2 GHG emissions 50.4% by 2032 and to reduce absolute scope 3 GHG emissions 30% within the same timeframe, reinforcing the company's dedication to integrating sustainable solutions with exceptional designs that inspire and transform spaces while minimizing environmental impact.

Neolith, hacia las cero emisiones netas

UN SÓLIDO CAMINO PARA MINIMIZAR EL IMPACTO AMBIENTAL

Desde sus inicios, los esfuerzos de innovación de Neolith han estado intrínsecamente ligados a la sostenibilidad, con un firme compromiso para lograr la descarbonización de sus productos y avanzar hacia una economía circular. Neolith cuenta con una sólida política de sostenibilidad y ha centrado sus actividades en dos ejes principales: materias primas y energía, con el objetivo de minimizar el impacto ambiental y crear productos aún más sostenibles.

Para lograrlo, Neolith ha dado pasos significativos y ha obtenido la aprobación de sus objetivos basados en la ciencia por parte de la iniciativa Science Based Targets (SBTi), que proporciona servicios de validación de objetivos alineados con sus estándares y apoya a las organizaciones en su camino hacia la descarbonización.

Esto significa que Neolith se ha comprometido a alcanzar cero emisiones netas de gases de efecto invernadero (GEI) en toda su cadena de valor para 2050. Además, la empresa ha asumido el compromiso de reducir en un 50,4% sus emisiones absolutas de GEI en los alcances 1 y 2 para 2032, y en un 30% las emisiones absolutas de alcance 3 en el mismo periodo. Todo ello refuerza la dedicación de la compañía a integrar soluciones sostenibles con diseños excepcionales que inspiran y transforman los espacios, minimizando su impacto en el entorno.

Product life cycle

STRONG COMMITMENT TO CIRCULAR ECONOMY

Neolith surfaces are designed and manufactured from a circular economy perspective to maximize protection and well-being for people and the planet. Neolith is leading the sustainability path to inspire and enable all stakeholders throughout its value chain. The company creates stunning surfaces designed for the best performance and product circularity.

The continuous improvement criteria have enabled relevant awards and certifications such as **Cradle to Cradle Certified® Bronze certification**, breaking away from the traditional model of surface production. It ensures the highest commitment to environmental matters and circularity from cradle to cradle*.

Ciclo de vida del producto

FIRME COMPROMISO CON LA ECONOMÍA CIRCULAR

Las superficies Neolith se diseñan y fabrican desde una perspectiva de economía circular para maximizar la protección y el bienestar de las personas y el planeta. Neolith lidera el camino de la sostenibilidad para inspirar y capacitar a todas las partes interesadas a lo largo de su cadena de valor. La empresa crea superficies asombrosas diseñadas para obtener el mejor rendimiento y circularidad del producto.

Los criterios de mejora continua han permitido obtener prestigiosos premios y certificaciones, como la certificación **Cradle to Cradle Certified® Bronze**, desmarcándose del modelo tradicional de producción de superficies. Esto garantiza el máximo compromiso con las cuestiones medioambientales y la circularidad de la cuna a la cuna.





SUSTAINABLE
BEAUTY

Environmental care

Neolith takes a holistic approach to environmental impacts throughout the product life cycle by ensuring responsible management at every stage of the production process. Priority is given to minimizing waste, reducing pollution, preserving natural resources and promoting energy efficiency.

TOWARDS NET-ZERO

In 2019, Neolith became the first company in its industry to achieve carbon neutrality. By calculating its full carbon footprint across its main scopes, **the organization is committed to reducing emissions and aims to achieve net-zero by 2050.**

ZERO WASTE

Neolith has achieved the Zero Waste certification, which acknowledges that the **company recycles over 96% of its industrial waste.**

REUSE OF INDUSTRIAL WATER

Neolith recycles **the entirety** of the industrial water used in its production processes.

RENEWABLE ENERGIES

100% of the electricity used in Neolith's production process is sourced either from **self-generated energy produced at Neolith's solar plant or from certified renewable energy sources.**

UNGC

Neolith is a signatory of the **United Nations Global Compact (UNGC)**, reinforcing its commitment to the initiative's climate action principles.

ECOVADIS GOLD

EcoVadis, the world's most reputable sustainability index, **ranks Neolith in the 98th percentile**, confirming its excellence in corporate policies and sustainable practices.

CRADLE TO CRADLE

Neolith has obtained the **Cradle to Cradle Certified® Bronze** certification, the world's leading standard for safe, circular and responsible materials and products.

SBTi

In 2024, **the SBTi validated Neolith's net-zero science-based targets**, reaffirming the brand's commitment to reducing emissions and combating climate change by 2050.

Cuidado del medioambiente

Neolith adopta un enfoque integral para reducir su impacto ambiental a lo largo del ciclo de vida del producto, asegurando una gestión responsable en cada etapa del proceso productivo. Su prioridad es minimizar los residuos, reducir la contaminación, preservar los recursos naturales y fomentar la eficiencia energética.

HACIA LAS CERO EMISIONES NETAS

En 2019, Neolith se convirtió en la primera empresa de su sector en lograr la neutralidad en carbono. Al calcular su huella de carbono para sus principales alcances, **la compañía se compromete a reducir sus emisiones y aspira a alcanzar cero emisiones netas de gases de efecto invernadero para 2050.**

RESIDUO CERO

Neolith ha obtenido la certificación Zero Waste, que reconoce que **la empresa recicla más del 96% de sus residuos industriales.**

REUTILIZACIÓN DEL AGUA INDUSTRIAL

Neolith reutiliza **el 100%** del agua industrial utilizada en sus procesos de producción.

ENERGÍAS RENOVABLES

El 100% de la energía eléctrica utilizada durante el proceso productivo de Neolith proviene de **energía generada en su planta solar o de fuentes con garantía de origen renovable.**

UNGC

Neolith es signatario del **Pacto Mundial de las Naciones Unidas (UNGC)**, reforzando su compromiso con los principios de acción climática de la iniciativa.

ECOVADIS GOLD

EcoVadis, el índice de sostenibilidad más prestigioso a nivel mundial, **sitúa a Neolith en el percentil 98**, confirmando su excelencia en políticas corporativas y prácticas sostenibles.

CRADLE TO CRADLE

Neolith ha obtenido la certificación **Cradle to Cradle Certified® Bronze**, el estándar global más exigente para materiales y productos seguros, circulares y responsables.

SBTi

En 2024, **la iniciativa SBTi validó los objetivos basados en la ciencia para la reducción de emisiones de Neolith**, reafirmando el compromiso de la marca en la lucha contra el cambio climático y la reducción de emisiones para 2050.



SUSTAINABLE
BEAUTY

Product composition

Neolith is an innovative surface with a unique sustainability profile. Design, durability and superior technical properties are combined to create kitchen and bathroom countertops, wall and floor cladding, facades and exclusive furniture.

NATURAL COMPOSITION

Neolith uses the best raw materials: a selection of premium all-natural minerals. Neolith does not add plastics or resins to its composition.

98R

Neolith incorporates up to 98% recycled materials in some of its models, while maintaining its superior technical and aesthetic properties.

RECYCLABLE

Due to the all-natural composition, Neolith products have an extended lifecycle and can be recycled at the end of their useful life.

NO ADDED QUARTZ

Neolith does not add crystalline silica to its composition. Its presence in the product is only detected in the form of impurities and is always below 9%, positioning it in the lowest crystalline silica content range in the market*.

* See product technical data sheet

Composición del producto

Neolith es una superficie innovadora con un perfil de sostenibilidad único. Diseño, durabilidad y propiedades técnicas superiores se combinan para crear encimeras de cocina y baño, revestimientos de paredes y suelos, fachadas y mobiliario exclusivo.

COMPOSICIÓN NATURAL

Neolith utiliza las mejores materias primas: una selección de minerales naturales de alta calidad. Neolith no añade plásticos ni resinas en su composición.

98R

Neolith incorpora hasta un 98% de contenido reciclado en algunos de sus modelos, conservando sus propiedades técnicas y estéticas superiores.

RECICLABLE

Debido a su composición natural, Neolith prolonga su ciclo de uso y puede ser reciclado al final de su vida útil.

SIN CUARZO AÑADIDO

Neolith no añade sílice cristalina en su composición. Su presencia en el producto solo se detecta en forma de impurezas y siempre en niveles inferiores al 9%, posicionándose como la superficie con el rango de contenido en sílice cristalina más bajo del mercado*.

* Consultar ficha técnica de producto

ADDITIONAL SUSTAINABLE BENEFITS

Neolith's unique sintering process provides additional sustainable benefits.

Refurbishment

Neolith can be applied directly to existing surfaces. This saves time, costs and generates less waste to be transported and treated, thereby further reducing net CO₂ emissions.

Optimized energy consumption

Neolith's high resistance to extreme temperatures makes it the ideal material of choice for ventilated facades. The thermal insulation and ventilation between the Neolith facade and the building itself optimizes the building's energy consumption.

25-year warranty

Neolith countertops and slabs do not require frequent replacement or maintenance treatments. That is why Neolith offers a 25-year warranty on its countertops for residential use, subject to registration and according to the terms and conditions outlined in neolith.com/en/warranty

BENEFICIOS SOSTENIBLES ADICIONALES

El proceso de sinterización único de Neolith proporciona beneficios adicionales.

Rehabilitación

Neolith se puede aplicar directamente sobre superficies existentes. De este modo, se ahorra tiempo, costes y se generan menos residuos que deban transportarse y tratarse, reduciendo aún más las emisiones netas de CO₂.

Consumo de energía optimizada

La alta resistencia de Neolith a temperaturas extremas hace que sea ideal para fachadas ventiladas. El aislamiento térmico y ventilación entre la fachada Neolith y el propio edificio optimiza el consumo de energía.

25 años de garantía

Las encimeras y tablas Neolith no necesitan tratamientos de sustitución o mantenimiento frecuentes. Por eso Neolith ofrece una garantía de hasta 25 años en sus encimeras de cocina para uso residencial, previo registro y de acuerdo con los términos y condiciones descritos en neolith.com/es/garantia

Certifications and Awards

Certificados y premios

Since its inception in 2009, Neolith has received recognition through more than 50 international design and architecture awards for its forward-thinking, innovative approach and the high quality of its products and processes.

These accolades reflect Neolith's pioneering spirit as a company constantly evolving to meet the needs and expectations of its current and future customers.

CERTIFICATIONS / CERTIFICADOS



Designed and produced by TheSize Surfaces in Spain



European Commission Certification



China Compulsory Certificate



ISO 9001:2015



ISO 14001:2015



NSF Certifies that Neolith is totally suitable for contact with food



Registration, Evaluation, Authorisation and Restriction of Chemicals



OK Kosher Certification



ICC-ES Certification for the Strongfix System for ventilated facades



The International EPD System



Health Product Declaration



Greenguard Certification



Member of the US Green Building Council (USGBC)



Ecological labels and environmental declarations



The Declare Label



M1 Classification for low-emitting building materials



Friendly Materials



UN Global Compact



Zero Waste



Ecovadis Gold 2024



* Cradle to Cradle Certified®



Byggvarubedömningen



SundaHus



NFPA-285



FL 28783.1



ETA 22/0800



ASTM E136



Saudi Quality Mark

PRODUCT DESIGN AWARDS / PREMIOS DE DISEÑO DE PRODUCTO



German Design Award 2025, 2019



Surface Design Awards 2025



Future Icons 2025 Awards by Country & Town House



Great Design AD 2024, 2017



Designerati Awards 2024



KBB Product Awards 2024



Archiproducts Awards 2024



1º Mención del Premio al Mejor Proyecto de Casa Decor 2024



Segundo Premio al Mejor Proyecto (Casa Yin) y premio INSIDE al espacio más votado entre expositores 2024



Premio Diseño de Interiores al mejor stand - Cevisama 2023



Primer Premio al Mejor Producto (mesa Neo_Hall) – Marbella Design & Art 2023



Alfa De Oro 2023, 2013



Best Company of the Year Award 2022 El Periódico Mediterráneo



Best Of KBIS 2023



X AWARDS CASA DECOR 2022



Best Booth Honorable Mention KBIS 2022



Architectural Record 2021



Global Kitchen Design



Idea Awards 2019



Plus X Award



Red Dot Award 2019, 2017, 2015



Interior Design Best of the Year 2018, 2017



A'Design Award 2018, 2016



Product Innovation Awards 2018, 2016



Premio Interiores 2017



Interzum Award



KBB Readers Choice Award 2017, 2016



D Award 2017



Architectural Record Award 2016



A+Award Architizer 2016



IDC Innovation Awards



KB Culture Awards 2016



Best of Houzz 2016



30 More innovative Products



Producto del año en Innovación y Tecnología



AP50 Readers Choice



Plus X Award



Muuuzz Awards



KBB Readers Choice Awards 2015



PIA Awards 2015, 2014

SUSTAINABILITY AND INSTALLATION AWARDS / PREMIOS DE SOSTENIBILIDAD E INSTALACIÓN



Edison Awards Gold



M GOLD AWARD



Buildings Money-Saving Products Winner



NEOLITH LIGHT & SURFACE EXTERIOR



Installation Award

* The Cradle to Cradle Certified® Bronze certification recognizes that most Neolith products meet this global standard. The complete list can be consulted officially on the Cradle to Cradle Products Innovation Institute website.

Technical Features

Características Técnicas



NEAR ZERO POROSITY / POROSIDAD CERCANA A CERO

Waterproof and resistant to liquids, with an absorption level of almost zero.

Impermeable y resistente a líquidos, con un nivel de absorción próximo a cero.



SCRATCH RESISTANT * / RESISTENTE AL RAYADO*

Its hard surface makes it resistant to scratches and abrasion.

Resistente al rayado y a la abrasión gracias a la dureza de su superficie.



RESISTANT TO HIGH TEMPERATURES / RESISTENTE A LAS ALTAS TEMPERATURAS

It does not burn in contact with fire nor does it emit smoke or toxic substances when subjected to high temperatures in daily use.

No se quema en contacto con el fuego ni emite humo ni sustancias tóxicas al ser sometido a altas temperaturas en su uso cotidiano.



EASY TO CLEAN / FÁCIL DE LIMPIAR

Neolith's low porosity and lack of joints facilitate hygiene and make it very easy to clean.

La baja porosidad de Neolith, así como la ausencia de juntas, facilitan la higiene y hacen que sea muy fácil de limpiar.



SUITABLE FOR CONTACT WITH FOOD / APTO PARA EL CONTACTO CON ALIMENTOS

It does not release any harmful substances and is totally suitable for contact with food. NSF Certification.

No desprende sustancias nocivas. Es totalmente apto para el contacto con los alimentos. Certificado NSF.



ULTRA-HYGIENIC / ULTRAHIGIÉNICO

Neolith's special composition makes it resistant to most chemical products and it can be disinfected with a wide range of strong household cleaning products.

La composición especial de Neolith, lo hace impermeable a la mayoría de los productos químicos, pudiendo ser desinfectado con una amplia gama de potentes productos limpiadores domésticos.



LIGHTWEIGHT / LIGERO

Lighter than many interior claddings or surfaces, Neolith is available in a variety of thicknesses, including an ultra-thin 3 mm.

Más ligero que muchos revestimientos o superficies interiores, Neolith se puede adquirir en diversos espesores, incluyendo uno ultra-fino de 3 mm.



UV RESISTANCE / RESISTENTE A RAYOS UV

Being 100% natural, its colors do not fade away when exposed to sunlight or other extreme weather conditions.

Siendo 100% natural, los colores no se desvirtúan cuando el material se expone al sol o a condiciones meteorológicas extremas.



RESISTANT TO BENDING / RESISTENTE A LA FLEXIÓN

Its high modulus of rupture makes it resistant to high pressure and heavy loads.

Módulo de rotura elevado. Resistente a altas cargas de presión y peso.



FREEZE-THAW PROOF

Neolith panels are engineered to withstand freeze-thaw cycles, ensuring durability and resistance to cracking under fluctuating temperatures while exceeding the performance requirements of ASTM C1026.

Los paneles de Neolith soportan cambios drásticos de temperatura, garantizando la durabilidad y resistencia a la rotura bajo altas fluctuaciones en la temperatura ambiente, cumpliendo y superando los requisitos marcados en el ASTM C1026.

* PLEASE CHECK USE DATASHEET AT NEOLITH.COM


* CONSULTAR LA FICHA DE USO EN NEOLITH.COM

Formats, Applications and Thicknesses

Formatos, aplicaciones y espesores

Neolith is manufactured in large format slabs of around 5 m² - 54ft². This allows the product to adapt to any type of project, reducing joints, making it easier to clean and improving its look. Also, it is quicker to install.

Neolith se fabrica en losas de gran formato de unos 5 m². Esto permite que el producto se adapte a cualquier tipo de proyecto, reduciendo las juntas, aumentando la facilidad de limpieza del producto y mejorando su estética. Además, la instalación es más rápida.



3.600 x 1.200 mm
142" x 47"

3.200 x 1.500 mm
126" x 59"

3.200 x 1.600 mm
126" x 63"

Interior walls Revestimiento interior	3+	6 · 6+	12 · 20
Interior floors Pavimento interior		6 · 6+	12 · 20
Bonded Facade Fachada aplacada exterior	3+	6 · 6+	12 · 20
Exterior floors Pavimento exterior		6 · 6+	12 · 20
Ventilated façade with exposed fixing system Fachada ventilada anclaje visto		6+	12
Ventilated façade with hidden fixing system Fachada ventilada anclaje oculto		6+	12
Worktops Encimeras			12 · 20
Heavy transit floors Pavimento alto tránsito		6+	12 · 20
Interior cladding over existing walls Revestimiento interior sobre material	3+	6 · 6+	
Interior flooring over existing floors Pavimento interior sobre material		6 · 6+	
Furniture Mobiliario	3 · 3+	6 · 6+	12 · 20

● Recommended thicknesses

Cut to size formats also available for projects.
Dimensions in inches are Nominal inches.

● Espesores recomendados

Formatos de corte a medida también para proyectos.

+ Slab reinforced with fiberglass.

+ Tabla reforzada con fibra de vidrio.

Neolith offers premium surfaces in four different thicknesses.

Neolith ofrece superficies premium en cuatro espesores diferentes.


Each one a specific range of applications: / Cada uno tiene su propia gama específica de aplicaciones:

3 MM 1/8"	INTERIOR WALL CLADDING, FURNITURE CLADDING REVESTIMIENTOS MUROS INTERIORES, PANELADO DE MUEBLES	6 MM 1/4"	INDOOR / OUTDOOR FLOORING, INTERIOR AND EXTERIOR CLADDING, FURNITURE CLADDING PAVIMENTOS INT./EXT., REVESTIMIENTOS INTERIORES Y EXTERIORES, PANELADO DE MOBILIARIO
12 MM 1/2"	KITCHEN COUNTERTOPS, TABLE TOPS AND BATHROOM VANITIES ENCIMERAS DE COCINA, MESAS Y TOCADORES DE BAÑO	20 MM 3/4"	KITCHEN COUNTERTOPS AND TABLE TOPS ENCIMERAS DE COCINA Y MESAS

STANDARD TILE FORMATS / FORMATOS DE BALDOSAS

Neolith offers premium sintered stone surfaces in standard tile formats.

Neolith ofrece superficies de piedra sinterizada Premium en los formatos estándar de baldosa.




1.500 x 1.500 mm
59" x 59"

1.500 x 750 mm
59" x 29'5"

750 x 750 mm
29'5" x 29'5"

Cut-to-size formats also available for projects.
Dimensions in inches are Nominal inches.

Formatos de corte a medida también para proyectos.



1.200 x 1.200 mm
48" x 48"

1.200 x 600 mm
48" x 24"

600 x 600 mm
24" x 24"

Possibility of adapting the following sizes from
the standard tile.

Possibilidad de adaptar los siguientes tamaños
a partir de la baldosa estándar.

Finishes / Acabados

Neolith is available in different finishes that add richness and value to the designs created with these surfaces: from rough textures with relief to shiny polishes with linear reflections.

A complete repertory to stimulate the sight and touch.

Neolith está disponible en distintos acabados que aportan riqueza y valor a los diseños creados con estas superficies: desde texturas rugosas con relieve hasta brillantes pulidos con reflejos lineales.

Todo un repertorio para estimular la vista y el tacto.

TEXTURED FINISHES / ACABADOS CON TEXTURAS



RIVERWASHED

A finish with a rough texture and high relief for surfaces that evoke sensations to the touch.



SLATE FINISH

Similar to a natural slate, the Slate finish creates the illusion of strata on the surface.



ANTI-SLIP

Available on demand anti-slip finish is a perfect option for wet areas or with special requirements.



NATURAL TOUCH

This texture enhances the natural beauty of each piece, perfectly matching design and digital texture.

MATTE FINISHES / ACABADOS MATE



SATIN

A completely matte finish. Highly resistant and ideal for commercial applications.



SILK

A matte finish with a thin layer of glaze that provides a subtle shine and a nice soft touch. This finish is extremely easy to clean.

Acabado completamente mate. Altamente resistente e ideal para aplicaciones comerciales.



ULTRASOFT

Matte texture with the highest softness and depth

Textura mate con el máximo grado de suavidad y profundidad.

GLOSSY FINISHES / ACABADOS BRILLO



DÉCOR POLISHED

The Décor Polished gives a perfectly linear reflection to the colors of the Classtone Collection, which gains in depth and elegance.

Décor Polished confiere un reflejo perfectamente lineal a los colores de la Colección Classtone, que gana en profundidad y elegancia.



STEEL TOUCH

Steel Touch is Neolith's metallic finish with smooth reflections and surfaces.


El acabado Steel Touch es un enfoque metálico que ofrece Neolith con unos reflejos suaves y superficies

Edges / Cantos

Neolith is a product with superior technical features, but requires special care in the manufacturing and finishings of its edges.

The larger the radius, the better it will withstand impacts but also the more the base color of the slab will show through. In areas with a high risk of impact (sinks, for example), a **2 mm-1/16" radius edge** is recommended; this is the best balance of good looks and durability.

The edges shown here can also be mitered.




STANDARD EASED EDGE
CANTO SENCILLO

Only for squares and rectangles
Solo en cuadrados y rectángulos



MITERED EDGE
CANTO A INGLETE

Minimum wide 300 mm - 11/8"
Ancho mínimo 300mm



HALF-BULLNOSE EDGE
CANTO SEMI-REDONDO

6 MM - 1/4"



FULL BULLNOSE EDGE
CANTO REDONDO

6 MM - 1/4"



HALF-BULLNOSE EDGE
CANTO SEMI-REDONDO

12/20 MM - 1/2"-3/4"



EASED EDGE TOP AND BOTTOM
CANTO SENCILLO DOBLE



BEVELED BOTTOM EDGE
CANTO BISELADO INFERIOR

Only for squares and rectangles
Solo en cuadrados y rectángulos

Neolith es un producto de características técnicas superiores, pero que requiere de especial atención en la elaboración y acabado de sus cantos.

Cuanto mayor sea el radio, mejor soportará los impactos pero también se mostrará más el color base de la tabla. En áreas con un alto riesgo de impacto (por ejemplo fregaderos) se recomienda los **2 mm de canto del radio**; siendo esta la mejor opción entre estética y durabilidad. Los cantos retratados aquí, también pueden aplicarse a inglete.

25-Year warranty Garantía 25 años

Neolith offers a 25-year warranty on its 12 and 20 mm thick slabs used to manufacture residential countertops, as well as on its 6 and 12 mm thick slabs used for backsplashes. For warranty registration, please use the link in the QR code on this page. To register, you need to know the barcode of your Neolith slab. Consult your installer or kitchen store if you do not know it.

In order to receive warranty services, you must have registered your warranty on the warranty.neolith.com website within 60 calendar days from the date of purchase indicated on your receipt.

You must complete all fields marked with an asterisk (*) and submit a purchase receipt or other acceptable type of documentary proof of purchase that clearly shows the date of purchase.

Neolith ofrece una garantía de 25 años en sus tablas de espesores 12 y 20 mm utilizadas para la fabricación de encimeras residenciales. También ofrece garantía para las tablas Neolith de espesores 6 y 12 mm utilizadas para el salpicadero.

Para el registro de la garantía, utiliza el enlace situado en el código QR de esta página. Para realizar el registro es necesario conocer el código de barras de tu tabla de Neolith. Consulta con tu instalador o tienda de cocina si no lo conoces.

Para que se te puedan prestar los servicios derivados de la garantía, deberás haber hecho el registro de la garantía en la página web warranty.neolith.com en un plazo máximo de 60 días naturales desde la fecha de compra indicada en la factura.

Será necesario llenar todos los campos marcados con un asterisco (*) y presentar un recibo de compra u otro tipo de justificación documental aceptable de la compra en la que conste claramente la fecha de la misma.



Register your warranty



Registra tu garantía

Cleaning and Maintenance

Limpieza y Mantenimiento

POLISHED AND ULTRASOFT FINISHES

Neolith Polished and Ultrasoft finishes stand out for their esthetic features. To achieve such degree of gloss and texture, the finest raw materials and the most cutting-edge technology have been used in their production. Unlike the other Neolith matte finishes (Satin, Riverwashed, Silk and Slate), special care must be taken when using certain chemical products on the countertop or regarding its resistance to scratches.

CLEANING PRODUCTS

SUITABLE	NOT SUITABLE
Degreasers	Cleaners and abrasive sponges
Ammonia	Bleach
Solvents	Ferrokit
Alcohol	Hydrofluoric acid
Acetone	Scrub cleaning creams
-	Alkalis (potash, soda)

* To clean a Polished countertop, we recommend using soapy water and a damp cloth. If there are encrusted/dry stains, soak the stain with a suitable detergent and wait to rub with a damp cloth.

NEVER USE: FERROKIT, an iron oxide stain remover for fabrics that contains, among other ingredients, hydrofluoric acid, WHICH CAN DAMAGE COUNTERTOPS, and alkalis such as potash and soda.

* Special care with ceramic knives: Ceramic knives may scratch the Neolith surface in every finish, the same way they scratch other brands in the same product category and other categories.

NEOLITH POLISHED FINISH APPLICATIONS

SUITABLE	NOT SUITABLE
Countertop	Outdoor flooring (abrasion by dust)
Interior and exterior cladding	Interior flooring with medium or high traffic (slippery, abrasion by transit) Bathroom and wet areas flooring
Interior flooring with exclusively pedestrian traffic of low intensity, not connected to the outside	Sinks (impacts, chafing)

ACABADOS PULIDOS Y ULTRASOFT

Las superficies Neolith acabado Pulido y Ultrasoft destacan por sus características estéticas. Para lograr este nivel de brillo y textura, se han utilizado en su producción las materias primas de mayor calidad y la tecnología más avanzada. Al contrario que con los otros acabados mate Neolith (Satin, Silk, Riverwashed y Slate), hay que tener en cuenta consideraciones especiales a la hora de usar algunos productos químicos sobre la encimera o acerca de su resistencia al rayado.

PRODUCTOS DE LIMPIEZA

APTO	NO APTO
Desengrasantes	Limpiadores y esponjas abrasivas
Amoniaco	Lejía
Disolventes	Ferrokit
Alcohol	Ácido hidrofluórico
Acetona	Limpiadores de vitrocerámica
-	Alcalinos (potasa, soda)

* Para la limpieza de una encimera pulida, se recomienda utilizar agua con jabón y una bayeta húmeda. Si hay manchas incrustadas/secas, hay que empapar la mancha con el detergente adecuado y esperar para frotar con una bayeta húmeda.

NO UTILIZAR NUNCA: FERROKIT, un quitamanchas de óxido de hierro para tejidos que contiene entre otros compuestos, ácido fluorhídrico que DANA LAS ENCIMERAS ni alcalinos como la potasa y la soda.

* Consideración especial con los cuchillos cerámicos: Los cuchillos de cerámica pueden rayar la superficie de Neolith en todos los acabados, de la misma forma que rayan otras marcas de la misma categoría de producto y otras categorías.

APLICACIONES DE NEOLITH ACABADO PULIDO

APTO	NO APTO
Encimera	Pavimento exterior (Abrasión por polvo)
Revestimiento interior, exterior	Pavimento interior con tránsito medio o alto. (Resbaladizo, abrasión por tránsito) Pavimento de baños y zonas húmedas
Pavimento interior de una vivienda con tránsito exclusivamente peatonal de intensidad baja, no comunicado con el exterior	Fregaderos (Impactos, Rozaduras)

Satin, Silk, Riverwashed and Slate finishes / acabados

Neolith countertops are easy to clean since food debris and residues cannot penetrate the material, thus guaranteeing good hygiene. In most cases, only a damp cloth is needed for cleaning.

Stains created by food and substances generally used in kitchens (e.g. lemon juice, vinegar, olive oil, wine and coffee) are easy to remove.

Even highly aggressive cleaning agents (such as oven cleaners) do not affect the Neolith surface.

Here are some of the substances recommended for removing stains:

Las encimeras Neolith tienen una limpieza fácil, ya que los restos de comida y residuos que se depositen, no pueden penetrar en el material, por lo que garantizan una buena higiene. Para la mayoría de los casos, sólo bastará con un paño húmedo para limpiarla.

Las manchas creadas por alimentos y sustancias generalmente usados en las cocinas (por ejemplo zumo de limón, vinagre, aceite de oliva, vino o café), son fáciles de eliminar.

Incluso los agentes de limpieza altamente agresivos (como limpiadores de horno), no afectan a la superficie Neolith.

A continuación, se indican algunas de las sustancias indicadas para eliminar las manchas:

APPLICATIONS FOR NEOLITH SATIN, SILK, RIVERWASHED AND SLATE FINISHES

TYPES OF STAINS / TIPOS DE MANCHAS	CHEMICAL PRODUCT / PRODUCTO QUÍMICO	COMMON EXAMPLES / EJEMPLOS COMUNES
Grease / Grasas	Alkaline - Solvent / Alcalino - Solvente	Detergent / Detergente
Oil / Aceite	Solvent / Solvente	Ammonia / Amoniaco
Ink / Tinta	Oxidant - Solvent / Oxidante - Solvente	Alcohol or acetone / Alcohol o acetona
Rust / Óxido, herrumbre	Acid / Ácido	Hydrochloric acid and descaling products / Sulfumán y desincrustantes
Lime / Cal	Acid / Ácido - Antical / Antical	Scaling products / Desincrustantes
Cement / Cemento	Acid / Ácido	Hydrochloric acid, oxygenated water and descaling products / Sulfumán, agua oxigenada y desincrustantes
Wine / Vino	Alkaline / Alcalino	Ammonia or bleach / Amoniaco o lejía
Coffee / Café	Alkaline - Solvent / Alcalino - Solvente	Ammonia or bleach / Amoniaco o lejía
Plaster / Yeso	Acid / Ácido	Hydrochloric acid and descaling products / Sulfumán y desincrustantes
Candle wax / Cera de velas	Solvent / Solvente	Alcohol or acetone / Alcohol o acetona
Iodine / Yodo	Oxidant / Oxidante	Bleach / Lejía
Blood / Sangre	Oxidant / Oxidante	Bleach, oxygenated water / Lejía, agua oxigenada
Ice cream / Helado	Alkaline / Alcalino	Detergent / Detergente
Resins / Resinas	Solvent / Solvente	Alcohol or acetone / Alcohol o acetona
Fruit juice / Jugo de frutas	Oxidant / Oxidante	Bleach / Lejía
Aluminum scratches / Viruta de aluminio	Acid / Ácido	Hydrochloric acid and descaling products / Sulfumán y desincrustantes

"Beyond a gastronomy experience"

"Más allá de una experiencia gastronómica"

NEOLITH KITCHEN

Collection

Unleashing your imagination is easier with a material that is made to last. A sustainable material that lets you enjoy every moment.

Neolith brings added value to the dining experience, providing a tool to inspire unique, elegant, functional and sustainable solutions.

Innovation, quality, design and functionality are the attributes pursued by the most demanding chefs when creating their workspaces, and Neolith has proven to be the perfect ally in the world's most renowned haute cuisine restaurants.


Elevate your kitchen and take your creations one step further.

Dar rienda suelta a la imaginación es más fácil con un material que está hecho para durar. Un material sostenible que te invita a disfrutar de cada momento.

Neolith aporta valor añadido a la experiencia gastronómica, proporcionando una herramienta para inspirar soluciones únicas, elegantes, funcionales y sostenibles.

Innovación, calidad, diseño y funcionalidad son los atributos que persiguen los chefs más exigentes de la gastronomía para la creación de sus espacios de trabajo, y Neolith ha demostrado ser el aliado perfecto en los restaurantes más prestigiosos de la alta cocina a nivel mundial.

Eleva tu cocina y lleva tus creaciones un paso más allá.



Everest Sunrise Silk
12 MM - 1/2"

THE
NEW CLASSTONE



Neolith: Ultra-hygienic Surfaces

Neolith, superficies ultra higiénicas

Neolith architectural surfaces stand out for their superior technical properties over other types of surfaces.

Thanks to their natural composition and manufacturing process, they do not require special maintenance.

They are resistant to wear and stains, so they can be disinfected with a wide range of strong household cleaning products, such as bleach, alcohol or other disinfectants safe for domestic use.

Neolith's low porosity improves the hygiene of its surfaces, making them waterproof, liquid-resistant and ultra-sanitary.

Neolith is available in large formats, which also minimizes the number of joints in the countertops, thereby considerably reducing the appearance of potentially harmful microorganisms.

Las superficies arquitectónicas Neolith destacan por sus propiedades técnicas superiores frente a otros tipos de superficie.

Gracias a su composición natural y su proceso de fabricación, no requieren de un mantenimiento especial. Son resistentes al desgaste y a las manchas, por lo que pueden ser desinfectadas con una amplia gama de potentes productos limpiadores domésticos, como lejía, alcohol u otros productos desinfectantes seguros para uso doméstico.

La baja porosidad de Neolith facilita la higiene de sus superficies, convirtiéndolas en un producto impermeable, resistente a líquidos y ultra higiénico.

Neolith está disponible en gran formato, lo que permite, además, minimizar el número de juntas de la encimera, reduciendo considerablemente la aparición de microorganismos potencialmente dañinos.

CLEANING TIPS FOR A NEOLITH COUNTERTOP

RECOMENDACIONES DE LIMPIEZA EN LA ENCIMERA NEOLITH

01

Clean with lukewarm water and the recommended cleaning product.

Limpiar con agua templada y limpiador recomendado.

02

Leave the cleaning product to work.

Dejar actuar al limpiador.


03

Rinse with water and dry it.

Aclarar con agua y secar.

Calacatta Royale Decor Polished
12 MM - 1/2"

THE
NEW CLASSTONE



PRIVATE RESIDENCE
Oslo, (Norway)

Distributed: Scan Granitt



Calacatta Luxe Ultrasoft
12 MM - 1/2"


THE
NEW CLASSTONE



PRIVATE RESIDENCE
Bogotá, (Colombia)

Design: Cuocolab
Stonemason: Volterra Stone
Distributed: Vianova SAS
Image: Carlos Vélez





PRIVATE RESIDENCE
Bilbao, (España)

Design: Raquel Gonzalez Interiorismo
Furniture and kitchen Design: Schmidt Norte
Styling: Cristina Rodriguez Goitia
Image: David Montero

Calacatta Royale
Décor Polished
12 MM - 1/2"

THE
NEW CLASSTONE



PRIVATE RESIDENCE
Melbourne, (Australia)

Design: Lowe Design Build
Image: Dave Kulesza

Calacatta Luxe Décor Polished
12 MM - 1/2"

THE
NEW CLASSTONE



PRIVATE RESIDENCE
Auckland, (New Zealand)

Design: Modi Design
Fabricator: AGB Stone
Image: Hazel Redmond



Himalaya Crystal Ultrasoft
12 MM - 1/2"

THE
NEW CLASSTONE



TERRA COCINAS
Madrid, (Spain)

Design: Devesa & Agenjo Interiorismo

Himalaya Crystal

Décor Polished

20 MM - 3/4"

THE
NEW CLASSTONE



PRIVATE RESIDENCE
Oslo, (Norway)

Design: Emilie Willoch Frøyland
Distributed: Scan Granitt



Calacatta Roma Silk
20 MM - 3/4"


THE
NEW CLASSTONE





PRIVATE RESIDENCE
Oslo, (Norway)


Design: Anniken Jørgensen
Distributed: Scan Granitt





PRIVATE RESIDENCE
Rosario, (Argentina)

Design: Estudio AND
Distributed: De Stefano 1913



Calacatta Gold Ultrasoft
12 MM - 1/2"

THE
NEW CLASSTONE

KITCHEN



PRIVATE RESIDENCE
Auckland, (New Zealand)

Design: Mooi Design
Architecture: Barry Connor Design
Image: Hazel Redmond

Amazonico Slate
12 MM - 1/2"

THE
NEW CLASSTONE



KITCHEN


PRIVATE RESIDENCE
Auckland, (New Zealand)


Design: Rare Birds Interiors
Image: Kelsie Barley Photography



FUEGOS 999
Buenos Aires, (Argentina)

Distributed: De Stefano 1913





PRIVATE RESIDENCE
Queensland, (Australia)

Design: Alisa & Lysandra



Retrostone Silk | FUSION
12 MM - 1/2"



PRIVATE RESIDENCE
Gdynia, (Poland)

Design: PURA Design
Image: LOKUM STUDIO



Retrostone Silk | FUSION
12 MM - 1/2"

PRIVATE RESIDENCE
Budapest, (Hungary)

Design: *ness Design Studio
Image: Anna Beketova



KITCHEN



WA RESIDENCE
Kota Baru Parahyangan, (Indonesia)

Interior Design: INERRE Interior
Architecture: Pranala Associates





PRIVATE RESIDENCE
Andorra La Vella, (Andorra)

Image: Amparito Sebastiá

Black Obsession Silk | FUSION
20 MM - 3/4"



PRIVATE RESIDENCE
Milan, (Italy)

Distributed: Stosa S.p.A.
Image: Studio ROSSI&Co

Cappadocia Sunset Silk
12 MM - 1/2"

FUSION

KITCHEN



Beton Silk

12 MM - 1/2"

FUSION



PRIVATE RESIDENCE
Wiltshire, (UK)

Design: Ben Argent Kitchens
Image: Nicholas Yarsley

Beton Riverwashed
12 MM - 1/2"

FUSION

KITCHEN



PRIVATE RESIDENCE
Wiltshire, (UK)

Design: Ben Argent Kitchens
Image: Nicholas Yarsley



PRIVATE RESIDENCE
Madrid, (Spain)

Design: Devesa & Agenjo Interiorismo

Pietra Grey Silk

12 MM - 1/2"



SALONE DEL MOBILE
Milan, (Italy)

Design: Scandola
Image: Inma Mariscal



New York - New York Silk

20 MM - 3/4"

FUSION



PRIVATE RESIDENCE
Auckland, (New Zealand)

Design: DuBois Design
Stonemason: GFL Ltd
Image: Michelle Weir



KITCHEN

Just White Silk

12 MM - 1/2"

COLORFEEL



PRIVATE RESIDENCE
Sydney, (Australia)

Design: Concepts by Gavin Hepper
Image: mm creative co.

Arctic White Satin
12 MM - 1/2"

COLORFEEL

PRIVATE RESIDENCE
Bristol, (UK)

Design: MOON BUILD
Image: Katie Jane Watson

KITCHEN



Nero Satin

12 MM - 1/2"

COLORFEEL



PRIVATE RESIDENCE
Buenos Aires, (Argentina)

Design: Modulus
Distributed: De Stefano 1913



KITCHEN

Nero Zimbabwe
Riverwashed
12 MM - 1/2"

FUSION



PRIVATE RESIDENCE
Park City, (USA)

Design: Kate Lester
Image: Amy Bartlam

Nero Satin

12 MM - 1/2"

COLORFEEL

KITCHEN




PRIVATE RESIDENCE
Medellín, (Colombia)

Design: Era Arquitectura y la Casa Ideal
Image: Carlos Vélez Photo

La Bohème Satin | TIMBER
12 MM - 1/2"

KITCHEN




PRIVATE RESIDENCE
Madrid, (Spain)

Design: José Lara Interiorismo
Stonemason: Mármoles Alcardeteños



Iron Grey Satin | IRON
12 MM - 1/2"



PRIVATE RESIDENCE
Auckland, (New Zealand)

Design: Kirsty Davis Kitchen Design
Image: Anthony Turnham Photography

Iron Corten Satin

12 MM - 1/2"

IRON



CASA PORTORO
São Paulo, (Brazil)

Design: Laura Bela y Henrique Freneda
Image: Marco Pinto

Basat Black Satin
12 MM - 1/2"

FUSION



KITCHEN

PRIVATE RESIDENCE
Milan, (Italy)

Distributed: Stosa S.p.A.
Image: Studio ROSSI&Co

Neolith Gourmet

If they have chosen it, why don't you?

Si ellos lo han elegido, ¿a qué esperas?

Professionals around the world are increasingly choosing Neolith for their dream kitchens, as it represents a material with no compromises: beauty and performance. Choose it all.

Profesionales de todo el mundo eligen cada vez más Neolith para sus cocinas soñadas, ya que representa un material sin concesiones: belleza y rendimiento. Elige todo.

— SPAIN —



Jordi Cruz
ABAC, Barcelona
@@@ MICHELIN 2022
ATEMPO, Barcelona
@@ MICHELIN 2022



Mateu Casañas, Oriol Castro y Eduard Xatruch,
DISFRUTAR, Barcelona
@@ MICHELIN 2022



Hermanos Roca,
EL CELLER DE CAN ROCA,
Girona
@@@ MICHELIN 2022



Eneko Atxa,
AZURMENDI, Larrabetzu
@@@ MICHELIN 2022



Paco Perez,
MIRAMAR, Llançà, Girona
@@ MICHELIN 2022



Albert Adrià,
ENIGMA, Barcelona
@@ MICHELIN 2021



Begoña Rodrigo,
LA SALITA, Valencia
@@ MICHELIN 2022



Jordi Artal,
CINC SENTITS, Barcelona
@@ MICHELIN 2022



QUIQUE DACOSTA
RESTAURANT, Denia
@@@ MICHELIN 2022



Artur Martínez,
AÜRT, Barcelona
@@ MICHELIN 2022



Albert Raurich
DOS PALILLOS, Barcelona
@@ MICHELIN 2022



Quim Casellas
CASAMAR, Llafranc, Girona
@@ MICHELIN 2022



Rafa Zafra
ESTIMAR, Barcelona
@@ MICHELIN 2022



Paco Torreblanca,
Escuela Torreblanca,
Petrer, Alicante
@@ MICHELIN 2022



Germán Carrizo
Fierro
@@ MICHELIN 2022



Fabian León
MasterChef



GASMA, Castellón



CONTACTO COCINA,
Madrid

— REST OF EUROPE —



Juan Amador,
AMADOR WIRTSHAUS &
GREISSLEREI, Viena, AT
@@ MICHELIN 2022



Jean Pierre Pastor
MELTEMI, Parma, IT
@@ MICHELIN 2022



Italo Bassi,
CONFUSION, Porto Cervo, IT
@@ MICHELIN 2022



Sebastian Frank,
Horváth, Berlin, GE
@@ MICHELIN 2022



Hans van Wolde
BELUGA LOVES YOU,
Maastricht, NE
@@ MICHELIN 2022



Marco Parizzi
PARIZZI, Parma, IT
@@ MICHELIN 2022



Jan Marrees
MARREES, Weert, NL
@@ MICHELIN 2022



Cédric Grolet,
Paris, FR



Pierre Sang,
Paris, FR



Sonia Peronaci
IL CANTIERE, Milan, IT



Kevin Thornton,
Dublin, IE



THE KITCHEN
AT CHEWTON GLEN,
New Milton, UK



Herman den Blijker
GOUD, Rotterdam, NL



Anne Sophie
FASHION COOKING,
Paris, FR



Alessandro
Borghese, LUSSO DELLA
SEMPLICITÀ, Milan, IT



Rich Harris, UK



Holger Stromberg
KUCHIN, Munich, GE



Paolo Griffa
AL CAFFÈ NAZIONALE,
Aorta, IT
@@ MICHELIN



Iga Sarzyńska
ICA SARZYŃSKA,
Toruń, PL



Ørjan Johannessen
MIRABELLE,
Bekkjarvik, Noruega



GRANT ACHATZ,
Alinea, Chicago
@@@ MICHELIN 2022



Narda Lepes,
Argentina



German Martitegui,
TEGUI, Buenos Aires, AR



Lucas Fuente,
LA OBRERIA, Uruguay



Hernan Montoya
CHEF MONT, Colombia



Anthony Vázquez
TANTA, Buenos Aires, AR



KEVIN GILLESPIE,
Atlanta



GASTON ACUÑA, Perú



SERGIO PUGLIA,
Uruguay



Ennio Carota,
PASTAMORE, Chile



Gonzalo Aramburu,
ARAMBURU, Buenos Aires, AR



THE CULINARY
INSTITUTE OF AMERICA,
Napa



Pablo Massey, LA
PANADERIA DE PABLO,
Buenos Aires, AR



Fernando Trocca
MOSTRADOR DE STA.
TERESA, Uruguay



Pedro Fernández, The
Chef is Back, Colombia

Kitchen Sinks / Fregaderos de cocina

Neolith sees the kitchen as a place in which design and functionality, elegance and durability coexist.

Neolith concibe el mundo de la cocina como un entorno en el que conviven diseño y funcionalidad, elegancia y durabilidad.

The Neolith kitchen line provides a more holistic and minimalist look to the kitchen by incorporating Neolith Sinks, a kitchen sink line made of the same material as the kitchen countertop.

Using cutting-edge technologies, the material is curved to create gradual drainage slopes designed to facilitate fast water evacuation (pursuant to standard UNE-EN 14527) and to ensure resistance to temperature changes, making it durable and suitable for cleaning (pursuant to standard UNE-EN 13310).

Neolith Sinks, a product with extraordinary features that introduces an integrated and functional kitchen concept.

La línea de cocina Neolith, permite otorgar un aspecto más integral y minimalista a la cocina al incorporar la línea de fregaderos, Neolith Sinks, realizados en el mismo material que el utilizado en la encimera de cocina.

Con técnicas de vanguardia se logra curvar el material hasta conseguir las pendientes de evacuación progresivas diseñadas para facilitar la rápida evacuación del agua (según la norma UNE-EN 14527) y también se consigue una resistencia a cambios de temperatura otorgando durabilidad y aptitud para la limpieza (según la norma UNE-EN 13310).

Neolith Sinks, un elemento de características extraordinarias que presenta un concepto de cocina integrado y funcional.

AVAILABLE FORMATS / FORMATOS DISPONIBLES



400 x 400 mm / 16" x 16"



BIG SIZE: 700 x 400 mm / 27 1/2" x 15 3/4"



450 x 400 mm / 18" x 16"




500 x 400 mm / 20" x 16"

AVAILABLE MODELS / MODELOS DISPONIBLES

THE NEW CLASSTONE



FUSION




COLORFEEL



IRON



TIMBER



STEEL



"The design to enjoy every day"
"El diseño que se vive cada día"

NEOLITH BATHROOM


Collection

Neolith surfaces and their textures, designs and colors create new trends in bathroom design, offering fresh, previously unimaginable possibilities.

Furthermore, thanks to the different formats and thicknesses available, the same material can be used throughout the whole bathroom - on floors, walls, sinks, shower trays and bathtubs - which translates into utmost cleanliness and esthetic uniformity. It is even possible to cover entire walls with a single piece, creating enveloping, harmonious spaces full of personality.

Las superficies Neolith, sus texturas, diseños y colores, crean nuevas tendencias en el diseño de los cuartos de baño, ofreciendo nuevas posibilidades, antes inimaginables.

Además, gracias a los diferentes formatos y grosos disponibles, se puede utilizar el mismo material en todo el baño: en suelos, paredes, lavabos, platos de ducha y bañeras. Lo que se traduce en máxima limpieza y uniformidad estética. Siendo posible, incluso, cubrir paredes enteras con una sola pieza, creando espacios envolventes, armoniosos y llenos de personalidad.



Calacatta Roma Silk
6 MM

THE
NEW CLASSTONE

Estatuario EO1 Silk

12 MM - 1/2"

THE
NEW CLASSTONE




WA RESIDENCE
Kota Baru Parahyangan, (Indonesia)

Interior Design: INERRE Interior
Architecture: Pranala Associates

Calacatta Luxe Ultrasoft

THE
NEW CLASSTONE

12 MM - 1/2"



BATHROOM

PRIVATE RESIDENCE,
Auckland, (New Zealand)

Design: Shane George
Image: Olivia Atkinson Design

Everest Sunrise Silk

THE
NEW CLASSTONE

Cappadocia Sunset Silk

FUSION

6 MM & 12 MM - 1/4" & 1/2"




Estatuario EO1 Silk | THE
6 MM - 1/4" NEW CLASSTONE



PRIVATE RESIDENCE,
Barcelona, (Spain)

Design: The Room Studio
Image: Mauricio Fuertes





Cappadocia Sunset Silk

FUSION

6 MM & 12 MM - 1/4" & 1/2"



Beton Silk

FUSION

12 MM - 1/2"

PRIVATE RESIDENCE
Melbourne, (Australia)

Design: Studio Griffiths
Image: Sharyn Cairns



BATHROOM

Shilin Slate

FUSION

6 MM & 12 MM

1/4" & 1/2"

INTERHOTEL,
Madrid, (Spain)

Design: Sara Folch
Image: Paloma Pacheco



Calista Décor Polished
12 MM - 1/2"

THE
NEW CLASSTONE



Mar del Plata Slate

FUSION

6 MM & 12 MM

1/4" & 1/2"



BATHROOM


NEOLITH HEADQUARTERS,
Castellón, (Spain)

Design: Giuliana Barandarián

Metropolitan Steel Touch

STEEL

6 MM - 1/4"



Igneus Riverwashed | FUSION
6 MM - 1/4"


BATHROOM





PRIVATE RESIDENCE,
Barcelona, (Spain)

Design: The Room Studio
Image: Mauricio Fuertes



BATHROOM

Pietra Grey Silk | FUSION

12 MM - 1/2"



PRIVATE RESIDENCE,
(Colombia)



Design: Arquiara
Stonemason: Volterra Stone
Distributed: Vianova SAS
Image: Carlos Velez

Phedra Satin | FUSION

12 MM - 1/2"

PRIVATE RESIDENCE,
Oslo, (Norway)

Design: Huseby Kjokken
Distributed: Scan Granitt
Image: VP Living



Iron Corten Satin | IRON
12 MM - 1/2"



BATHROOM

PRIVATE RESIDENCE
Wellington, (New Zealand)

Design: Happy Home Interiors

Artisan Silk

FUSION

6 MM - 1/4"

BATHROOM



Neolith Piattibelli Shower Trays / Platos de ducha Neolith Piattibelli



The Neolith Piattibelli shower tray comes in a wide range of sizes and colors, making it the perfect solution for bathrooms. It is easy to install, one-piece and seamless.

El plato de ducha Neolith Piattibelli presenta una amplia gama de medidas y colores, convirtiéndose en la solución perfecta para el baño. Fácil de instalar, de una sola pieza, sin juntas.

The Piattibelli shower tray uses Neolith as the cladding material and features a completely slip-free finish, pursuant to AIDIMME/standard UNE EN 14527:2016+A1:2019 "Shower trays for domestic use". It is produced with Ultra Slim manufacturing technology, a patented system unique on the market, which molds the raw material to create a product that is only 23 mm thick.


It is ideal for remodeling as the thickness does not create barriers or differences in level at the shower entrance. Moreover, any possible filtration disappears since it's manufactured in a single, jointless piece. With this cutting-edge technology, the Neolith materials can be curved to create gradual drainage slopes designed to facilitate fast water evacuation (pursuant to AIDIMME certification/standard UNE EN 14527:2016+A1:2019). This technology integrates seamlessly with market-leading drain valves, creating the perfect combination of design and efficiency. Neolith does not manufacture the Piattibelli shower trays; it only distributes them in various markets.

AVAILABLE FORMATS / FORMATOS DISPONIBLES



AVAILABLE MODELS / MODELOS DISPONIBLES

THE NEW CLASSTONE



FUSION



COLORFEEL



IRON



Bathroom Sinks / Lavabos de baño

Neolith surfaces are the best choice for bathrooms: the temple of cleanliness.

Las superficies Neolith son la mejor elección para el cuarto de baño:
el templo de la limpieza.

The Neolith bathroom line gives a more holistic and minimalist look to spaces by incorporating the Neolith sink line made of the same material as that used in the countertops. Using cutting-edge technologies, the material is curved to achieve gradual drainage slopes designed to facilitate fast water evacuation (pursuant to standard UNE-EN 14527) and to ensure resistance to temperature changes, making it durable and suitable for cleaning (pursuant to standard UNE-EN 13310). Neolith Sinks, a product with extraordinary features that introduces an integrated and functional bathroom concept.

La línea de baño Neolith, permiten otorgar un aspecto más integral y minimalista a los espacios al incorporar la línea de lavabos Neolith realizados en el mismo material que el utilizado en las encimeras. Con técnicas de vanguardia se logra curvar el material hasta conseguir las pendientes de evacuación progresivas diseñadas para facilitar la rápida evacuación del agua (según la norma UNE-EN 14527) y también se consigue una resistencia a cambios de temperatura otorgando durabilidad y aptitud para la limpieza (según la norma UNE-EN 13310). Neolith lavabos, un elemento de características extraordinarias que presenta un concepto de baño integrado y funcional.



500 x 300 mm / 20" x 11 4/5"




BIG SIZE: 700 x 300 mm / 27 1/2" x 11 4/5"

THE NEW CLASSTONE



FUSION



COLORFEEL



IRON



TIMBER






STEEL



NEOLITH GALLERY

The Neolith collection features 58 unique models, categorized into 6 distinct collections. Many of these models are available in multiple finishes and thicknesses, providing versatility for various applications. Additionally, select models offer Bookmatch and Endmatch options.

La colección de Neolith se compone de 58 modelos agrupados en 6 colecciones. La gran mayoría de esos modelos están disponibles en más de un acabado y espesor distinto e incluso algunos de ellos disponen de opciones Bookmatch o Endmatch.



Arctic White

COLORFEEL

Satin
Silk

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"





Just White

COLORFEEL

Silk

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Estatuario

THE
NEW CLASSTONE

Silk
Décor Polished
Ultrasoft

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"




Full slab image / Imagen tabla completa

Calacatta

THE
NEW CLASSTONE

Silk
Décor Polished
Ultrasoft

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Red Dot Award 2015

Architizer A + Awards 2016



Calacatta Roma

THE
NEW CLASSTONE

Silk


6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Great Design AD 2024



Designerati Awards
2024



Full slab image / Imagen tabla completa

Calacatta Royale

THE
NEW CLASSTONE

Silk
Décor Polished
Ultrasoft

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Iron Frost

IRON

Satin

6 MM - 1/4"
12 MM - 1/2"



Full slab image / Imagen tabla completa

150

WhiteSands

THE
NEW CLASSTONE

Slate
Natural Touch

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Mont Blanc

THE
NEW CLASSTONE

Silk

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Calista

THE
NEW CLASSTONE

Décor Polished
Ultrasoft

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Calacatta Gold

THE
NEW CLASSTONE

Silk
Décor Polished
Ultrasoft

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"



Full slab image / Imagen tabla completa

Everest Sunrise

THE
NEW CLASSTONE

Silk
Décor Polished
Ultrasoft

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Abu Dhabi White

THE
NEW CLASSTONE

Silk
Décor Polished

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Calacatta Luxe

THE
NEW CLASSTONE

Silk
Ultrasoft

6 MM - 1/4"
12 MM - 1/2"



Full slab image / Imagen tabla completa

Himalaya Crystal

THE
NEW CLASSTONE

Silk
Décor Polished
Ultrasoft

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Alexandra

THE
NEW CLASSTONE

Silk
Décor Polished
Ultrasoft

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"




Full slab image / Imagen tabla completa

Retrostone

FUSION

Silk

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Plus X Award



A'Design Award 2019



Full slab image / Imagen tabla completa

San Simone

THE
NEW CLASSTONE

Silk
Décor Polished
Ultrasoft

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Arabesque

THE
NEW CLASSTONE

Silk

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Colorado Dunes

THE
NEW CLASSTONE

Silk
Décor Polished
Ultrasoft

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Arena

FUSION

Satin

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"



Full slab image / Imagen tabla completa

Strata Argentum

FUSION

Riverwashed

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"



Full slab image / Imagen tabla completa

Winter Dala

TIMBER

Silk

6 MM - 1/4"
12 MM - 1/2"

Summer Dala

TIMBER

Silk

6 MM - 1/4"
12 MM - 1/2"



Full slab image / Imagen tabla completa



Full slab image / Imagen tabla completa

La Bohème

TIMBER

Satin

6 MM - 1/4"
12 MM - 1/2"



Architectural Record Award



Plus X Award 2017





Full slab image / Imagen tabla completa

Pietra di Osso

FUSION

Silk

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"




Full slab image / Imagen tabla completa

Rapolano

FUSION

Slate
Natural Touch

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



NEW

Check with your local distributor for availability of the new Neolith models.

Consulta con tu distribuidor local la disponibilidad de los nuevos modelos Neolith

170

Shilin

FUSION

Slate

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

NEOLITH GALLERY

Full slab image / Imagen tabla completa

Artisan	FUSION	Silk	6 MM - 1/4" 12 MM - 1/2" 20 MM - 3/4"
---------	--------	------	---



NEW

Check with your local distributor for availability of the new Neolith models.

Consulta con tu distribuidor local la disponibilidad de los nuevos modelos Neolith

172

Pietra di Luna	FUSION	Silk	3 MM - 1/8" 6 MM - 1/4" 12 MM - 1/2" 20 MM - 3/4"
----------------	--------	------	--



Full slab image / Imagen tabla completa

Beton

FUSION

Silk

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



174

Full slab image / Imagen tabla completa

Terrazzo Ceppo

FUSION

Silk

6 MM - 1/4"
12 MM - 1/2"



Full slab image / Imagen tabla completa

New York-New York

FUSION

Silk

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Zaha Stone

FUSION

Silk

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa



Architectural Record 2017




Cappadocia Sunset

FUSION

Silk

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

178

Phedra

FUSION

Satin

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"



Full slab image / Imagen tabla completa

Wulong

FUSION

Slate

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"




180

Pietra di Piombo

FUSION

Silk

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



NEOLITH GALLERY

Cement

FUSION

Satin

6 MM - 1/4"
12 MM - 1/2"



Full slab image / Imagen tabla completa


182

Mar del Plata

FUSION

Slate

6 MM - 1/4"
12 MM - 1/2"



Full slab image / Imagen tabla completa

NEOLITH GALLERY



Basalt Grey

FUSION

Satin

6 MM - 1/4"
12 MM - 1/2"



Barro

FUSION

Satin

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"




Pulpis

THE
NEW CLASSTONE

Silk

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"




Full slab image / Imagen tabla completa

Iron Corten

IRON

Satin

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"




Full slab image / Imagen tabla completa

Iron Copper

IRON

Satin

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"



Pietra Grey

FUSION

Silk

6 MM - 1/4"
12 MM - 1/2"




Amazonico

THE
NEW CLASSTONE

Décor Polished
Slate

6 MM - 1/4"
12 MM - 1/2"



Full slab image / Imagen tabla completa

Aspen Grey

FUSION


Silk

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"




Full slab image / Imagen tabla completa

Iron Grey	IRON	Satin	3 MM - 1/8" 6 MM - 1/4" 12 MM - 1/2" 20 MM - 3/4"
-----------	------	-------	--



Full slab image / Imagen tabla completa

Igneae	FUSION	Riverwashed	6 MM - 1/4" 12 MM - 1/2" 20 MM - 3/4"
--------	--------	-------------	---



New formulation with up to 98% recycled material in the composition of Ignea
Nueva formulación con hasta un 98% de material reciclado en la composición de Ignea



Check with your local distributor for availability of the new Neolith models.
Consulta con tu distribuidor local la disponibilidad de los nuevos modelos Neolith



Full slab image / Imagen tabla completa

archiproducts[®]
AWARDS
WINNER
SUSTAINABILITY
GERMAN DESIGN
AWARD WINNER
2025



Metropolitan

STEEL

Steel Touch

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



98R

New formulation with up to 98% recycled material in
the composition of Metropolitan

Nueva formulación con hasta un 98% de material
reciclado en la composición de Metropolitan



Full slab image / Imagen tabla completa


194

Black Obsession

FUSION

Silk

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa


NEOLITH GALLERY

Calatorao

THE
NEW CLASSTONE

Silk

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Nero Zimbabwe

FUSION

Riverwashed

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"





Full slab image / Imagen tabla completa

Layla

THE
NEW CLASSTONE

Décor Polished
Slate

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Basalt Black

FUSION

Satin

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



New formulation with up to 98% recycled material in
the composition of Basalt Black
Nueva formulación con hasta un 98% de material
reciclado en la composición de Basalt Black



Full slab image / Imagen tabla completa

Nero

COLORFEEL

Satin

3 MM - 1/8"
6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



200




Full slab image / Imagen tabla completa

Niagara

THE
NEW CLASSTONE

Silk
Decor Polished

6 MM - 1/4"
12 MM - 1/2"
20 MM - 3/4"



Full slab image / Imagen tabla completa

Arctic White

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3	*	*			
3.200 x 1.500	6	*	*			
3.200 x 1.600	12 20	*	*			

Just White

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3			*		
3.200 x 1.500	6			*		
3.200 x 1.600	12 20			*		

Estatuario EO1

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3			*		
3.200 x 1.500	6			*		
3.200 x 1.600	12 20			*		

Calacatta

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3			*		
3.200 x 1.500	6			*		
3.200 x 1.600	12 20			*		

Mont Blanc

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3			*		
3.200 x 1.500	6			*		
3.200 x 1.600	12 20			*		

Calista

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3			*		
3.200 x 1.500	6			*		
3.200 x 1.600	12 20			*		

Calacatta Gold

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3			*		
3.200 x 1.500	6			*		
3.200 x 1.600	12 20			*		

Everest Sunrise

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3			*		
3.200 x 1.500	6			*		
3.200 x 1.600	12 20			*		



Calacatta Roma

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3			*		
3.200 x 1.500	6			*		
3.200 x 1.600	12 20			*		

Calacatta Royale

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3			*		
3.200 x 1.500	6			*		
3.200 x 1.600	12 20			*		

Iron Frost

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3			*		
3.200 x 1.500	6			*		
3.200 x 1.600	12 20			*		

White Sands

	mm	Satin	Silk	Natural Touch	Slate
3.600 x 1.200	3			*	
3.200 x 1.500	6			*	
3.200 x 1.600	12 20			*	

Abu Dhabi White

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3			*		
3.200 x 1.500	6			*		
3.200 x 1.600	12 20			*		

Calacatta Luxe

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3			*		
3.200 x 1.500	6			*		
3.200 x 1.600	12 20			*		

Himalaya Crystal

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3			*		
3.200 x 1.500	6			*		
3.200 x 1.600	12 20			*		

Alexandra

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate

<



Retrostone

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			

San Simone

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6		•	•	•	
3.200 x 1.600	12		•	•	•	

Arabesque

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6					
3.200 x 1.600	12 20		•	•	•	

Colorado Dunes

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6					
3.200 x 1.600	12 20		•	•	•	



La Bohème

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			



Pietra di Osso

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3			•		
3.200 x 1.500	6			•		
3.200 x 1.600	12 20		•	•		



Rapolano

	mm	Satin	Silk	Pol.	U. Soft	Natural Touch	Riv. Slate
3.600 x 1.200	3						
3.200 x 1.500	6						•
3.200 x 1.600	12 20		•			•	



Shilin

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6					
3.200 x 1.600	12 20		•			•



Arena

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3		•			
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			



Strata Argentum

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			



Winter Dala

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6					
3.200 x 1.600	12 20		•			



Summer Dala

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6					
3.200 x 1.600	12 20		•			



Artisan

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6			•		
3.200 x 1.600	12 20		•			



Pietra di Luna

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3			•		
3.200 x 1.500	6			•		
3.200 x 1.600	12 20		•	•		



Beton

	mm	Satin	Silk	Pol.	U. Soft	R
--	----	-------	------	------	------------	---




New York New York

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3		•			
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			



Zaha Stone

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3		•			
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			



Cappadocia Sunset

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3		•			
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			



Phedra

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3		•			
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			



Basalt Grey

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3		•			
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			



Barro

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3		•			
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			



Pulpis

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3		•			
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			



Iron Corten

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3		•			
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			




Wulong

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6					
3.200 x 1.600	12 20					




Pietra di Piombo

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3		•			
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			



Cement

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3		•			
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			



Mar del Plata

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3		•			
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			



Iron Copper

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3		•			
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			




Pietra Grey

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3		•			
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			



Amazonico

	mm	Satin	Silk	Pol.</

**Iron Grey**

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3	•				
3.200 x 1.500	6	•				
3.200 x 1.600	12 20	•				

Igneia


	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6					
3.200 x 1.600	12 20					

Metropolitan

	mm	Satin	Silk	Pol.	U. Soft	Steel Touch
3.600 x 1.200	3					
3.200 x 1.500	6					
3.200 x 1.600	12 20					

**Nero Zimbabwe**

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6					
3.200 x 1.600	12 20					

**Layla**

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6					
3.200 x 1.600	12 20					

**Basalt Black**

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3	•				
3.200 x 1.500	6	•				
3.200 x 1.600	12 20	•				

**Black Obsession**

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6	•				
3.200 x 1.600	12 20	•				

**Calatorao**

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3		•			
3.200 x 1.500	6		•			
3.200 x 1.600	12 20		•			

**Nero**

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3	•				
3.200 x 1.500	6	•				
3.200 x 1.600	12 20	•				

**Niagara**

	mm	Satin	Silk	Pol.	U. Soft	Riv. Slate
3.600 x 1.200	3					
3.200 x 1.500	6		•	•		
3.200 x 1.600	12 20		•	•	•	

Models only available for projects Modelos solo disponibles para proyectos

Starting from 4,000 m² (43,000 sqft) for 3 and 6 mm, 3,000 m² (32,300 sqft) for 12 mm and 2,000 m² (21,500 sqft) for 20 mm of thickness, Neolith has several different models available to choose from for large-scale projects.

Consult your local distributor for more information.

A partir de 4.000 m² para 3 y 6 mm y 3.000 m² para 12 mm y 2.000 m² para 20 mm de espesor, Neolith tiene disponibles una serie de modelos distintos para elegir para grandes proyectos.

Consulta a tu distribuidor para más información.





Bookmatch & Endmatch

Some Neolith models can come with a Bookmatched effect (mirror effect), just as when natural marble is extracted directly from a quarry. There is a Reverse option (marked with an "R") for each color in order to create Bookmatched options.

The Endmatch is a very special feature used in some New Classtone models. Using the same slab and just turning it 180°, it's possible to obtain continuing vein with an endless pattern.

Algunos modelos Neolith permiten la posibilidad de presentarse con efecto Bookmatch (efecto espejo) de la misma forma que el mármol natural es directamente extraído de una cantera. Para cada modelo se ha creado una versión inversa (marcada con "R") para presentar efectos Bookmatched.

El Endmatch es una característica muy especial que tienen algunos modelos en New Classtone Usando la misma tabla, sólo girándola 180°, puede obtenerse un patrón de vena continua sin fin.

Estatuario E01 Bookmatch



Estatuario E01

Estatuario E01R

Estatuario E01

Estatuario E01R

Calacatta Gold Endmatch



Calacatta Gold CG01

Calacatta Gold CG01

Calacatta Gold Bookmatch



Calacatta Gold CG01

Calacatta Gold CG01R

Calacatta Gold CG01

Calacatta Roma Endmatch



Calacatta Roma CR01

Calacatta Roma CR01

Calacatta Roma Bookmatch



Calacatta Roma CR01

Calacatta Roma CR01R

Calacatta Roma CR01

Calacatta Endmatch



Calacatta C01

Calacatta C01

Calacatta Bookmatch



Calacatta C01R

Calacatta C01

Calacatta C01R

Bookmatch


Calacatta Royale Bookmatch




Colorado Dunes Bookmatch



Calacatta Luxe Bookmatch




San Simone Bookmatch



Arabesque Bookmatch



Niagara Bookmatch



Design variants in Variantes de diseño 6 mm - 1/4"

To avoid repeating design in some Neolith models, variants have been created and will be shipped randomly when ordering these models, without the possibility of choosing the design.

Only available in 6 mm thickness.

Para evitar la repetición de diseño en algunos modelos Neolith, se han creado variantes que se enviarán de forma aleatoria, en los pedidos de estos colores, sin la posibilidad de elegir el diseño.

Esto está solo disponible en 6 mm de espesor.

Abu Dhabi White



Himalaya Crystal



Retrostone




Strata Argentum



White Sands



Mont Blanc



Everest Sunrise



Design variants in / Variantes de diseño 6 mm - 1/4"

Winter Dala




Summer Dala



Rapolano



Shilin



Artisan




Beton



New York- New York




Zaha Stone



Design variants in / Variantes de diseño

6 mm - 1/4"

Cappadocia
Sunset



Aspen Grey




Wulong



Igneus




Mar Del Plata



Metropolitan




Amazonico



Calatorao



Layla



General Summary

Resumen General

2025

This table may be updated at any time.
Please check Neolith.com to get the latest version.

Esta tabla puede tener actualizaciones en cualquier momento.
Por favor consultar en Neolith.com para descargar la última versión.

OTHER FORMATS -
BUILD TO ORDER Delivery time,
please ask your commercial agent.

Dimensions in inches are in nominal inches.

OTROS FORMATOS -
Plazo de entrega especial, consulte a su
agente comercial.

 New color / Color nuevo
Check availability with your local distributor. / Consulta la disponibilidad con tu distribuidor.

 Available Bookmatch / Disponible Bookmatch.

 Available Endmatch / Disponible Endmatch.

 98% recycled material / 98% material reciclado.

BOOKMATCH (R) MODELS -
BUILD TO ORDER Delivery time,
please ask your commercial agent.

MODELOS BOOKMATCH (R) -
Plazo de entrega especial, consulte a su
agente comercial.

COLORFEEL	Arctic White	3600x1200 mm 142" x 47"	3200x1500 mm 126" x 59"	3200x1600 mm 126" x 63"
		3 mm - 1/8"	6 mm - 1/4"	12 - 1/2"
				20 mm - 3/4"
	Just White	Silk / Satin	Silk / Satin	Silk / Satin
	Nero	Silk	Silk	Silk
		Satin	Satin	Satin

FUSION	Arena	Satin	Satin	Satin	---
	Artisan	---	Silk	Silk	Silk
	Aspen Grey	Silk	Silk	Silk	Silk
	Barro	---	Satin	Satin	Satin
	Basalt Black	Satin	Satin	Satin	Satin
	Basalt Grey	---	Satin	Satin	---
	Beton	---	Silk	Silk	Silk
	Black Obsession	---	Silk	Silk	Silk
	Cappadocia Sunset	Silk	Silk	Silk	Silk
	Cement	---	Satin	Satin	---
	Igneia	---	Riverwashed	Riverwashed	Riverwashed
	Már del Plata	---	Slate	Slate	---
	Nero Zimbabwe	Riverwashed	Riverwashed	Riverwashed	Riverwashed
	New York-New York	Silk	Silk	Silk	Silk
	Phedra	Satin	Satin	Satin	---
	Pietra Grey	---	Silk	Silk	---
	Pietra di Luna	Silk	Silk	Silk	Silk
	Pietra di Osso	Silk	Silk	Silk	Silk
	Pietra di Piombo	Silk	Silk	Silk	Silk
IRON	Rapolano	---	Slate	Natural Touch	Natural Touch
	Retrostone	---	Silk	Silk	Silk
	Shilin	---	Slate	Slate	Slate
	Terrazzo Ceppo	---	Silk	Silk	---
	Wulong	---	Slate	Slate	Slate
TIMBER	Zaha Stone	Silk	Silk	Silk	Silk
	Iron Copper	Satin	Satin	Satin	---
	Iron Corten	Satin	Satin	Satin	Satin
	Iron Frost	---	Satin	Satin	---
	Iron Grey	Satin	Satin	Satin	Satin
NEW CLASSTONE	La Bohème	---	Satin	Satin	---
	Summer Dala	---	Silk	Silk	---
	Winter Dala	---	Silk	Silk	---
STEEL	Abu Dhabi White	Silk	Silk / Décor polished	Silk / Décor polished	Silk
	Alexandra	---	Silk / Décor polished / Ultrasoft	Silk / Décor polished / Ultrasoft	Silk / Décor polished / Ultrasoft
	Amazonico	---	Décor polished / Slate	Slate	---
	Arabesque	---	Silk ®	Silk ®	Silk ®
	Calacatta	Silk	Silk ® / Décor polished ® / Ultrasoft ®	Silk ® / Décor polished ® / Ultrasoft ®	Silk ® / Décor polished ® / Ultrasoft ®
	Calacatta Gold	Silk	Silk ® / Décor polished ® / Ultrasoft ®	Silk ® / Décor polished ® / Ultrasoft ®	---
	Calacatta Luxe	---	Décor polished ® / Ultrasoft ®	Décor polished ® / Ultrasoft ®	---
	Calacatta Roma	Silk	Silk ®	Silk ®	Silk ®
	Calacatta Royale	---	Silk ® / Décor polished ® / Ultrasoft ®	Silk ® / Décor polished ® / Ultrasoft ®	Silk ® / Décor polished ® / Ultrasoft ®
	Calatoria	Silk	Silk	Silk	Silk
	Calista	---	Décor polished / Ultrasoft	Décor polished / Ultrasoft	Décor polished / Ultrasoft
	Colorado Dunes	---	Silk ® / Décor polished ® / Ultrasoft ®	Silk ® / Décor polished ® / Ultrasoft ®	Silk ® / Décor polished ® / Ultrasoft ®
	Estatuario	Silk	Silk ® / Décor polished ® / Ultrasoft ®	Silk ® / Décor polished ® / Ultrasoft ®	Silk ® / Décor polished ® / Ultrasoft ®
	Everest Sunrise	---	Silk / Décor polished / Ultrasoft	Silk / Décor polished / Ultrasoft	Silk / Décor polished / Ultrasoft
	Himalaya Crystal	---	Silk / Décor polished / Ultrasoft	Silk / Décor polished / Ultrasoft	Silk / Décor polished / Ultrasoft
	Layla	---	Décor polished / Slate	Décor polished / Slate	Slate
	Mont Blanc	Silk	Silk	Silk	Silk
	Niagara	---	Silk ® / Décor polished ®	Silk ® / Décor polished ®	Silk ® / Décor polished ®
	Pulpis	Silk	Silk	Silk	---
	San Simone	---	Silk ® / Décor polished ® / Ultrasoft ®	Silk ® / Décor polished ® / Ultrasoft ®	Silk ® / Décor polished ® / Ultrasoft ®
	Strata Argentum	Riverwashed	Riverwashed	Riverwashed	---
	WhiteSands	---	Slate	Natural Touch	Natural Touch
STEEL	Metropolitan	---	Steel Touch	Steel Touch	Steel Touch

Los colores y acabados mostrados en este catálogo son aproximados y pueden variar respecto al producto final. Bajo ninguna circunstancia deben ser utilizados como referencia definitiva para la selección de materiales. Recomendamos solicitar muestras físicas a través de la plataforma de pedidos para garantizar una elección adecuada del material.

The colours and finishes shown in this catalogue are approximate and may vary from the final product. Under no circumstances should they be used as a definitive reference for the selection of materials. We recommend requesting physical samples through the ordering platform to ensure an appropriate choice of material.



P. I. Camí Fondo, Supo 8, C/ dels Ibers, 31
12550 Almazora (Castellón) SPAIN
info@neolith.com | neolith.com

RESPONSIBLE TEAM
Neolith Branding Team

DESIGN
Neolith Team



Paper made with fibers from responsibly
managed forests.

NEOLITH

touch.feel.live